



MATERIAL SAFETY DATA SHEET

PRODUCT NAME

ULANO
FX88-SR EMULSION

SECTION I

Manufacturer's Name
ULANO CORPORATION
Address (Number, Street,
110 THIRD AVENUE
(City, State, ZIP Code)
BROOKLYN, NY. 11217
Signature of Preparer (optional)

Emergency Telephone Number
CHEMTREC: (800)424-9300 or (703)527-3887
Telephone Number for Information
(718)622-5200 Fax# : (718)802-1119
Date Prepared
MAY 1, 2000

SECTION II - Ingredients/Identity Information

(Specific Chemical Identity; Common Name(s))

Ingredients	C.A.S. #	OSHA PEL	ACGIH TLV	Approx. Conc.	Hazard Type
WATER					
POLYVINYL ALCOHOL	9002-89-5	NOT SET	NOT SET	<10%	NON HAZARDOUS
TSRN 80100215-5002P	TRADE SECRET	NOT SET	NOT SET		NON HAZARDOUS
TSRN 80100215-5001P	TRADE SECRET	NOT SET	NOT SET		NON HAZARDOUS

THIS PRODUCT DOES NOT CONTAIN SARA TITLE III, SECTION 313 REPORTABLE MATERIAL

ULANO PRODUCTS ARE NOT MANUFACTURED WITH, NOR DO THEY CONTAIN CLASS-I OR CLASS-II OZONE DEPLETING CHEMICALS.

SECTION III - Physical/Chemical Characteristics

Boiling Point 212+°F	Specific Gravity (H ₂ O=1) 1.05-1.08
Vapor Pressure (mm Hg.) N.A.	Melting Point N.A.
Vapor Density (AIR=1) N.A.	Evaporation Rate (H ₂ O=1) APPROX. 1
Solubility in Water DILUTABLE	
Appearance and Odor WHITE VISCOUS LIQUID	

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used) N.A.	Flammable Limits N.A.	LEL N.A.	UEL N.A.
Extinguishing Media NON-FLAMMABLE			
Special Fire Fighting Procedures TREAT SURROUNDING FIRE			
Unusual Fire and Explosion Hazards NONE KNOWN			

SECTION V - Reactivity Data

Stability	Unstable	Stable	X
Conditions to Avoid AFTER SENSITIZING, EXPOSURE TO LIGHT WILL CAUSE THICKENING			
Incompatibility (Material to Avoid) NONE KNOWN			
Hazardous Decomposition or Byproducts NONE KNOWN			
Hazardous Polymerization	May Occur	Will Not Occur	X
Conditions to Avoid NONE KNOWN			
HMIS	Health [1]	Flammability [0]	Reactivity [0]
			Personal Protection [A]

SECTION VI - Health Hazard Data

Route(s) of Entry	Inhalation?	Skin?	Ingestion?
	NO	NO	NO

Health Hazards (*Acute and Chronic*)
NONE KNOWN

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
	NO	NO	NO

Signs and Symptoms of Exposure
NONE KNOWN

Medical Condition Generally Aggravated by Exposure
NONE KNOWN

Emergency and First Aid Procedures

EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN

SECTION VII - Precautions for Safe Handling and Use

Steps to be taken in case Material is Released or Spilled

SMALL SPILLS MAY BE WASHED DOWN SEWER. LARGE SPILLS SHOULD BE ABSORBED ONTO SUITABLE MEDIA.

Waste Disposal Method

DISPOSE OF MEDIA IN ACCORDANCE WITH STATE AND LOCAL REGULATIONS.

Precautions to be Taken in Handling and Storing

NONE KNOWN

Other Precautions

NONE KNOWN

SECTION VIII - Control Measures

Respiratory Protection (*Specify Type*)

NONE

Ventilation

Local Exhaust	Mechanical (<i>General</i>)	Special	Other
	X		

Protective Gloves

NONE

Eye Protection

NONE

Other Protective Clothing or Equipment

APRON TO AVOID STAINING CLOTHING

Work / Hygienic Practices

NONE

WHILE THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF ULANO CORP. MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.



MATERIAL SAFETY DATA SHEET

PRODUCT NAME



DIAZO C SENSITIZER POWDER

SECTION I

Manufacturer's Name
ULANO CORPORATION
Address (Number, Street,
255 BUTLER ST.
(City, State, ZIP Code)
BROOKLYN, NY. 11217
Signature of Preparer (optional)

Emergency Telephone Number
CHEMTREC: (800)424-9300 or (703)527-3887
Telephone Number for Information
(718)622-5200 Fax#: (718)802-1119
Date Prepared
MAY 1, 2000

SECTION II - Ingredients/Identity Information

(Specific Chemical Identity; Common Name(s))

Ingredients	C.A.S. #	OSHA PEL	ACGIH TLV	Approx. Conc.	Hazard Type
BENZENEDIAZONIUM,4(PHENYLAMINO)	41432-19-3	15mg/m³	15mg/m³	Total Dust	Irritant
SULFATE 1:1 POLYMER WITH		5mg/m³	5mg/m³	Respirable Dust	
FORMALDEHYDE					

THIS PRODUCT DOES NOT CONTAIN SARA TITLE III, SECTION 313 REPORTABLE MATERIAL

ULANO PRODUCTS ARE NOT MANUFACTURED WITH, NOR DO THEY CONTAIN CLASS-I OR CLASS-II OZONE DEPLETING CHEMICALS.

SECTION III - Physical/Chemical Characteristics

Boiling Point SLOW DECOMPOSITION AT 244°F	Specific Gravity (H ₂ O=1) N.A.
Vapor Pressure (mm Hg.) N.A.	Melting Point N.A.
Vapor Density (AIR=1) N.A.	Evaporation Rate (H ₂ O=1) N.A.
Solubility in Water SOLUBLE	
Appearance and Odor YELLOW POWDER	

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used) N.A.	Flammable Limits N.A.	LEL N.A.	UEL N.A.
Extinguishing Media CARBON DIOXIDE OR DRY CHEMICAL			
Special Fire Fighting Procedures FIRE FIGHTERS SHOULD WEAR SELF-CONTAINED, AIR BREATHING APPARATUS			
Unusual Fire and Explosion Hazards UNDER FIRE CONDITIONS, OXIDES OF CARBON, NITROGEN AND SULFUR WILL BE LIBERATED			

SECTION V - Reactivity Data

Stability	Unstable	Stable		
	X			
Conditions to Avoid IGNITION SOURCES, TEMPERATURES ABOVE 95°F AND ACTINIC LIGHT. DECOMPOSITION DOES NOT RESULT IN A HAZARDOUS CONDITION, ONLY EFFECTIVENESS DECREASES.				
Incompatibility (Material to Avoid) STRONG OXIDIZERS				
Hazardous Decomposition or Byproducts OXIDES OF CARBON, NITROGEN AND SULFUR DECOMPOSES AT 356°F				
Hazardous Polymerization	May Occur	Will Not Occur		
		X		
Conditions to Avoid STRONG OXIDIZERS				
HMIS	Health [2]	Flammability [3]	Reactivity [1]	Personal Protection [C]

SECTION VI - Health Hazard Data

Route(s) of Entry	Inhalation?	Skin?	Ingestion?
	X	X	X

Health Hazards (*Acute and Chronic*)

SKIN: MAY CAUSE SLIGHT IRRITATION WITH PROLONGED CONTACT. EYES: CORROSIVE TO EYES, MAY CAUSE SEVERE IRRITATION. INHALATION: MAY CAUSE IRRITATION OF MOUTH, THROAT AND RESPIRATORY TRACT. INGESTION: MAY BE HARMFUL IF INGESTED. INGESTION MAY CAUSE IRRITATION OF MOUTH, THROAT AND GI TRACT.

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
	NO	NO	NO

Signs and Symptoms of Exposure

IRRITATION OF EYES, OR MOUTH

Medical Condition Generally Aggravated by Exposure

NONE KNOWN

Emergency and First Aid Procedures

EYES AND SKIN: WASH EFFECTED AREAS WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION OCCURS

SECTION VII - Precautions for Safe Handling and Use

Steps to be taken in case Material is Released or Spilled

WASH DOWN WITH WATER

Waste Disposal Method

DISPOSE OF IN ACCORDANCE WITH STATE AND LOCAL REGULATIONS

Precautions to be Taken in Handling and Storing

STORE IN A COOL DRY AREA

Other Precautions

MIX UNDER YELLOW OR SUBDUED LIGHT

SECTION VIII - Control Measures

Respiratory Protection (*Specify Type*)

NIOSH APPROVED DUST MASK IF USING LARGE QUANTITIES

Ventilation

Local Exhaust	Mechanical (<i>General</i>)	Special	Other
	X		

Protective Gloves

PLASTIC GLOVES

Eye Protection

NIOSH APPROVED GOGGLES

Other Protective Clothing or Equipment

PROTECTIVE APRON

Work / Hygienic Practices

WASH HANDS AFTER HANDLING MATERIAL



MATERIAL SAFETY DATA SHEET

PRODUCT NAME



FX88SR COLOR ADDITIVE

SECTION I

Manufacturer's Name
ULANO CORPORATION
 Address (Number, Street,
255 BUTLER ST.
 (City, State, ZIP Code)
BROOKLYN, NY. 11217
 Signature of Preparer (optional)

Emergency Telephone Number
CHEMTREC: (800)424-9300 or (703)527-3887
 Telephone Number for Information
(718)622-5200 Fax#: (718)802-1119
 Date Prepared
MAY 1, 2000

SECTION II - Ingredients/Identity Information

(Specific Chemical Identity; Common Name(s))

Ingredients	C.A.S. #	OSHA PEL	ACGIH TLV	Approx. Conc.	Hazard Type
PHHALO BLUE	147-14-8	NOT SET	NOT SET	50%	NON HAZARDOUS
WATER				50%	

PHHALO BLUE DYE CONTAINS 3.4% COPPER WHICH IS REPORTABLE IN ACCORDANCE WITH SARA TITLE III, SECTION 313

ULANO PRODUCTS ARE NOT MANUFACTURED WITH, NOR DO THEY CONTAIN CLASS-I OR CLASS-II OZONE DEPLETING CHEMICALS.

SECTION III - Physical/Chemical Characteristics

Boiling Point 212+°F	Specific Gravity (H ₂ O=1) APPROX. 1
Vapor Pressure (mm Hg.) N.A.	Melting Point N.A.
Vapor Density (AIR=1) N.A.	Evaporation Rate (H ₂ O=1) APPROX. 1
Solubility in Water DISPERSIBLE	
Appearance and Odor ODORLESS, BLUE LIQUID	

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used) N.A.	Flammable Limits N.A.	LEL N.A.	UEL N.A.
Extinguishing Media NON-FLAMMABLE			
Special Fire Fighting Procedures TREAT SURROUNDING FIRE			
Unusual Fire and Explosion Hazards NONE KNOWN			

SECTION V - Reactivity Data

	Unstable	Stable
Stability		X
Conditions to Avoid NONE KNOWN		
Incompatibility (Material to Avoid) NONE KNOWN		
Hazardous Decomposition or Byproducts NONE KNOWN		
Hazardous Polymerization	May Occur	Will Not Occur X
Conditions to Avoid NONE KNOWN		

HMIS Health [1] Flammability [0] Reactivity [0] Personal Protection [A]

SECTION VI - Health Hazard Data

Route(s) of Entry	Inhalation?	Skin?	Ingestion?
	NO	YES	NO

Health Hazards (*Acute and Chronic*)

MAY CAUSE IRRITATION TO SKIN AND EYES.

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
	NO	NO	NO

Signs and Symptoms of Exposure

REDNESS OF SKIN OR BURNING SENSATION OF EYES.

Medical Condition Generally Aggravated by Exposure

NONE KNOWN

Emergency and First Aid Procedures

EYES: FLUSH WITH LARGE QUANTITIES FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN. SKIN: WASH AREA WITH SOAP AND WATER. IF IRRITATION DEVELOPS, CALL A PHYSICIAN.

SECTION VII - Precautions for Safe Handling and Use

Steps to be taken in case Material is Released or Spilled

WIPE UP WITH RAGS. WASH DOWN AREA WITH WATER.

Waste Disposal Method

DISPOSE OF RAGS IN ACCORDANCE WITH STATE AND LOCAL REGULATIONS.

Precautions to be Taken in Handling and Storing

NONE KNOWN

Other Precautions

AVOID EXCESSIVE CONTACT

SECTION VIII - Control Measures

Respiratory Protection (*Specify Type*)

NONE

Ventilation

Local Exhaust	Mechanical (<i>General</i>)	Special	Other
			NONE

Protective Gloves

PLASTIC GLOVES

Eye Protection

NIOSH APPROVED SAFETY GLASSES

Other Protective Clothing or Equipment

PROTECTIVE APRON

Work / Hygienic Practices

WASH HAND AFTER USING MATERIAL

WHILE THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF ULANO CORP. MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

